

## DECLARATION ACCORDING COMMISSION REGULATION (EU) 2015/1185 April 2015 and ACCORDING COMMISSION DELEGATED REGULATION (EU) 2015/1186 April 2015

Inform	ation requiren	nents for solid f	uel local spac	ce heat	ers							
Model/Name:					A10 V PLUS CLASSIC / A10 C PLUS CLASSIC							
Trademark:					NOBIS							
Indirect heating functionality:					No							
Direct heat output:					9,5							
Indirect heat output:							-					
Fuel:	Preferred fuel:	Other suitable fuel(s):	n₅% (*)	nom	inal hed	at outp CO	ut (*) NOX	minir P		at outp	NOX	
				m	ng/Nm <sup>3</sup>	(13% C	) <sup>2</sup> )	n	ng/Nm <sup>3</sup>	(13% O	) <sup>2</sup> )	
Wood logs with moisture content ≤ 25 %	No	No										
Compressed wood with moinsture content < 12 %	Yes	No	88,6	4,4	3	8	90	5,9	6	75	87	
Chara	cteristics wher	n operating wit	-	d fuel o	nly							
		Heat output										
Nominal heat output:	P <sub>nom</sub>		9,5					kW				
Minimum heat output (indicative):	P <sub>min</sub>		3,8					kW				
	Useful eff	ficiency (NCV	as received)									
Useful efficiency at nominal heat output:	$\eta_{th,nom}$		90,9					%				
Useful efficiency at minimum heat output (indicative)	n <sub>th,min</sub>		93,2					%				
	Auxiliar	y electricity co	nsumption									
At nominal heat output:	el <sub>max</sub>		0,012					kW				
At minimum heat output:	el <sub>min</sub>		0,008					kW				
In standby mode:	el <sub>SB</sub>		0,002						kW			
	D											
Dilat flame a regional region and	pilot flame power requirement							kW				
Pilot flame power requirement:		P <sub>pilot</sub>								KVV		
	Single stage heat output, no room temperature control No											
	Two or more manual stages, no room temperature control							No				
Turn of hood out out two are to come and use or wheel (10).	With mechanic thermostat room temperature control							No				
Type of heat output/room temperature control F(2):	With electronic room temperature control							No				
	With electronic room temperature control plus day timer							No				
	With electronic room temperature control plus week timer								Yes			
	Room temperature control, with presence detection								No			
Other control options F(3) (multiple selections possible	Room temperature control, with open window detection							No				
	With distance control option							Yes				
Energy officiancy class					Λ				,			
Energy efficiency class:		A++ 130										
Energy efficiency index (EEI):					1	30						

(\*)N<sub>s</sub> = seasonal energy efficiency, PM = particolate matter, OGC = organic gaseous compounds, CO = carbon monoxide, Nox = nitrogen oxides Note:

