

Rapporto/Report No. K 3003 2020 B3

Decreto 7 Novembre 2017, n. 186
Certificazione ambientale del generatore di
calore

Modelli / Models
**LISA 7 C, LISA 7 V,
LISA 8 C, LISA 8 V,
LISA 9 C, LISA 9 V,
LISA 10 C, LISA 10 V**

Marchio commerciale / Trademark:
Nobis

Produttore / Manufacturer:
Nobis S.r.l.



This accreditation is valid only for the listed standards as stated in the accreditation annex of D-PL-11120-04-00

**This report may only be published and forwarded to third parties in its complete, unabridged form. The publication or dissemination of extracts, summaries, appraisals or any other adaptation and alterations, in particular for advertising purposes, is only permissible with the prior written permission of TÜV Rheinland.
Publication of page 2 is permitted.**

The test results presented in this report refer solely to the test object stated as described on page 2. The report does not represent a general statement about the serial production of the test object and gives not an authorization for use of a TÜV Rheinland test- / certification mark.

Decreto 7 Novembre 2017, n. 186
Certificazione ambientale del generatore di caloreProduttore / *Manufacturer:***Nobis S.r.l.**Via Palazzolo 11,
25037 Pontoglio (BS) - ItalyMarchio commerciale / *Trademark:***Nobis**Modelli / *Models:*

LISA 7 C, LISA 7 V	LISA 8 C, LISA 8 V	LISA 9 C, LISA 9 V	LISA 10 C, LISA 10 V
7,0 kW	7,7 kW	8,5 kW	9,3 kW

Potenza termica nominale / *Nominal heat output:*Tipologia prodotti / *Product types:*Stufe a pellets di legna / *Wood pellet stoves*Norma di riferimento / *Reference standard:*

EN 14785:2006

Ente Notificato CPR/ *Notified body acc. CPR*

NB 2456


Rapporto di Prova di riferimento / *Reference test report:*

K30032020T1

Combustibile di prova / *Test fuel:*Pellet di legna / *wood pellet*Cologne, 20.01.2021
432 / mcTÜV Rheinland Energy GmbH
Test Centre for Energy Appliances
NB 2456 (CPR)
DIN EN ISO/IEC 17025:2005
accreditation: D-PL-11120-04-00

Assessor:

Report released after review:


Dipl.-Ing. M. Ciccarelli

Dipl.-Ing. A. Pomp

Prestazioni del generatore di calore Performances of the heating appliance Classi di prestazione / Performance class																																		
	LISA 7 C, LISA 7 V	LISA 8 C, LISA 8 V	LISA 9 C, LISA 9 V	LISA 10 C, LISA 10 V																														
PP⁽¹⁾ mg/Nm³	10 (5*)	10 (5*)	11 (5*)	11 (5*)																														
COT⁽¹⁾ mg/Nm³	2 (5*)	2 (5*)	1 (5*)	1 (5*)																														
NOx⁽¹⁾ mg/Nm³	124 (4*)	131 (4*)	137 (4*)	143 (4*)																														
CO⁽²⁾ mg/Nm³	39 (5*)	32 (5*)	25 (5*)	17 (5*)																														
η⁽²⁾ %	90,6 (5*)	90,1 (5*)	89,5 (5*)	88,9 (5*)																														
Result / Class	4 stelle	4 stelle	4 stelle	4 stelle																														
<p>(1) Determinato applicando il metodo di misura della UNI CEN/TS 15883 <i>Determined applying the measurement method of the UNI CEN/TS 15883</i></p> <p>(2) Determinato secondo la EN 14785:2006 <i>Determined according to EN 14785:2006</i></p> <p>Nota: tutti i valori di concentrazione calcolati al 13% di O₂ in condizioni normali (273 K, 1013 mbar, gas secco) <i>Note: all the concentration values are calculated at 13% of O₂ in normal conditions (273 K, 1013 mbar, dry gas)</i></p> <p style="text-align: center;"><u>Limit Values</u></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th>5 stelle</th> <th>4 stelle</th> <th>3 stelle</th> <th>2 stelle</th> </tr> </thead> <tbody> <tr> <td>PP⁽¹⁾ mg/Nm³</td> <td>15</td> <td>20</td> <td>30</td> <td>50</td> </tr> <tr> <td>COT⁽¹⁾ mg/Nm³</td> <td>10</td> <td>35</td> <td>50</td> <td>80</td> </tr> <tr> <td>NOx⁽¹⁾ mg/Nm³</td> <td>100</td> <td>160</td> <td>200</td> <td>200</td> </tr> <tr> <td>CO⁽²⁾ mg/Nm³</td> <td>250</td> <td>250</td> <td>364</td> <td>500</td> </tr> <tr> <td>η⁽²⁾ %</td> <td>88</td> <td>87</td> <td>85</td> <td>85</td> </tr> </tbody> </table>						5 stelle	4 stelle	3 stelle	2 stelle	PP⁽¹⁾ mg/Nm³	15	20	30	50	COT⁽¹⁾ mg/Nm³	10	35	50	80	NOx⁽¹⁾ mg/Nm³	100	160	200	200	CO⁽²⁾ mg/Nm³	250	250	364	500	η⁽²⁾ %	88	87	85	85
	5 stelle	4 stelle	3 stelle	2 stelle																														
PP⁽¹⁾ mg/Nm³	15	20	30	50																														
COT⁽¹⁾ mg/Nm³	10	35	50	80																														
NOx⁽¹⁾ mg/Nm³	100	160	200	200																														
CO⁽²⁾ mg/Nm³	250	250	364	500																														
η⁽²⁾ %	88	87	85	85																														