

DECLARATION ACCORDING COMMISSION REGULATION (EU) 2015/1185 April 2015 and ACCORDING COMMISSION DELEGATED REGULATION (EU) 2015/1186 April 2015

Inforn	nation requiren	nents for solid f	uel local spa	ce heat	ers							
Model/Name:					ZENITH 440 8kW /							
Trademark:					NOBIS							
Indirect heating functionality:					No							
Direct heat output:					7,2							
Indirect heat ou												
Fuel:	Preferred fuel:	Other suitable fuel(s):	η₅% (*)		inal he	at outp		minii	e heatin mum he		out (*)	
					ng/Nm³				ng/Nm³			
Wood logs with moisture content ≤ 25 %	Yes	No	75	15	18	610	74					
Compressed wood with moinsture content < 12 %	No	No										
Chara	cteristics wher	n operating with	n the preferre	ed fuel o	only							
		Heat output										
Nominal heat output:	P _{nom}	7,2						kW				
Minimum heat output (indicative):	P _{min}							kW				
This is the state of the state		· min								RTT.		
	Useful eff	ficiency (NCV	as received)									
Useful efficiency at nominal heat output:	$\eta_{th,nom}$	85						%				
Useful efficiency at minimum heat output (indicative	n _{th,min}							%				
	Auxiliar	ry electricity co	nsumption									
At nominal heat output:	el _{max}		k						kW			
At minimum heat output:	el _{min}								kW			
In standby mode:	el _{SB}	kW							kW			
	Dormanant	nilet flame nou	or roquiromo	nt					•			
Pilot flame newer requirement:	oilot flame power requirement P _{pilot}							kW				
Pilot flame power requirement:		r pilot								KVV		
		Single stage h	eat output, r	no room	tempe	erature	control			No		
	Two or more manual stages, no room temperature control							No				
	With mechanic thermostat room temperature control						No					
Type of heat output/room temperature control F(2):	With electroni	With electronic room temperature control						No				
	With electronic room temperature control plus day timer						No					
	With electronic room temperature control plus week timer							No				
		Room temper	ature control	I. with n	resence	e dete	ction			No		
		Room temperature control, with presence detection Room temperature control, with open window detection						No No				
	With distance control option						No					
		, fill distance	como opilo	/ I I						140		
Energy efficiency class:					,	4+						

Note:

(*)N_s = seasonal energy efficiency, PM = particolate matter, OGC = organic gaseous compounds, CO = carbon monoxide, Nox = nitrogen oxides

